

30423

Table 1.86A Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2002

Geographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	34,314	4,749	1,196
GEOGRAPHIC DIVISION			
Northeast	6,434	890	268
New England	2,209	264	94
Middle Atlantic	4,224	625	174
Midwest	7,420	980	225
East North Central	5,137	706	172
West North Central	2,282	275	52
South	10,248	1,644	428
South Atlantic	5,921	951	231
East South Central	1,347	224	61
West South Central	2,979	469	136
West	10,213	1,235	276
Mountain	3,043	426	103
Pacific	7,169	809	172
COUNTY TYPE			
Large Metro	18,175	2,501	645
Small Metro	10,904	1,569	402
250K – 1 Mil. Pop.	7,834	1,101	280
<250K Pop.	3,069	468	121
Nonmetro	5,235	679	149
Urbanized	2,181	262	46
Less Urbanized	2,688	347	88
Completely Rural	366	70	16

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 1.86B Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2002

Geographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	14.6	2.0	0.5
GEOGRAPHIC DIVISION			
Northeast	14.3	2.0	0.6
New England	18.7	2.2	0.8
Middle Atlantic	12.7	1.9	0.5
Midwest	13.9	1.8	0.4
East North Central	13.7	1.9	0.5
West North Central	14.3	1.7	0.3
South	12.2	2.0	0.5
South Atlantic	13.5	2.2	0.5
East South Central	9.5	1.6	0.4
West South Central	11.5	1.8	0.5
West	19.3	2.3	0.5
Mountain	19.9	2.8	0.7
Pacific	19.1	2.2	0.5
COUNTY TYPE			
Large Metro	15.5	2.1	0.6
Small Metro	15.4	2.2	0.6
250K – 1 Mil. Pop.	15.2	2.1	0.5
<250K Pop.	16.0	2.4	0.6
Nonmetro	11.1	1.4	0.3
Urbanized	14.7	1.8	0.3
Less Urbanized	10.0	1.3	0.3
Completely Rural	7.0	1.3	0.3

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30423

Table 1.87A Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2002

Geographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	1,419	945	255
GEOGRAPHIC DIVISION			
Northeast	260	179	52
New England	82	60	24
Middle Atlantic	177	120	28
Midwest	312	197	57
East North Central	225	140	48
West North Central	87	56	9
South	489	350	95
South Atlantic	274	205	49
East South Central	64	42	13
West South Central	151	102	32
West	359	220	52
Mountain	130	94	19
Pacific	228	125	33
COUNTY TYPE			
Large Metro	712	474	133
Small Metro	448	297	78
250K – 1 Mil. Pop.	311	209	51
<250K Pop.	138	88	26
Nonmetro	260	174	44
Urbanized	86	50	13
Less Urbanized	138	97	27
Completely Rural	36	27	4

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30423

Table 1.87B Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2002

Geographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	5.7	3.8	1.0
GEOGRAPHIC DIVISION			
Northeast	5.8	4.0	1.2
New England	7.1	5.1	2.1
Middle Atlantic	5.4	3.6	0.8
Midwest	5.5	3.5	1.0
East North Central	5.6	3.5	1.2
West North Central	5.1	3.3	0.5
South	5.6	4.0	1.1
South Atlantic	6.2	4.7	1.1
East South Central	4.5	3.0	0.9
West South Central	5.1	3.4	1.1
West	6.2	3.8	0.9
Mountain	7.6	5.5	1.1
Pacific	5.5	3.0	0.8
COUNTY TYPE			
Large Metro	5.7	3.8	1.1
Small Metro	6.1	4.0	1.1
250K – 1 Mil. Pop.	5.7	3.8	0.9
<250K Pop.	7.3	4.6	1.4
Nonmetro	5.2	3.5	0.9
Urbanized	5.6	3.2	0.9
Less Urbanized	4.8	3.4	1.0
Completely Rural	6.3	4.8	0.7

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30423

Table 1.88A Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2002

Geographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	7,517	2,610	589
GEOGRAPHIC DIVISION			
Northeast	1,456	531	159
New England	476	181	69
Middle Atlantic	980	351	89
Midwest	1,694	570	94
East North Central	1,227	414	70
West North Central	467	156	24
South	2,344	845	214
South Atlantic	1,247	476	109
East South Central	329	128	30
West South Central	768	241	75
West	2,023	664	123
Mountain	648	228	46
Pacific	1,374	437	77
COUNTY TYPE			
Large Metro	3,676	1,248	283
Small Metro	2,662	977	222
250K – 1 Mil. Pop.	1,854	663	146
<250K Pop.	808	314	75
Nonmetro	1,179	385	84
Urbanized	497	171	30
Less Urbanized	603	185	42
Completely Rural	79	30	12

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 1.88B Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2002

Geographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	24.2	8.4	1.9
GEOGRAPHIC DIVISION			
Northeast	26.4	9.7	2.9
New England	33.2	12.6	4.8
Middle Atlantic	24.1	8.6	2.2
Midwest	23.5	7.9	1.3
East North Central	24.7	8.3	1.4
West North Central	21.0	7.0	1.1
South	21.3	7.7	1.9
South Atlantic	23.1	8.8	2.0
East South Central	17.2	6.7	1.6
West South Central	20.7	6.5	2.0
West	27.7	9.1	1.7
Mountain	29.7	10.4	2.1
Pacific	26.9	8.5	1.5
COUNTY TYPE			
Large Metro	24.9	8.5	1.9
Small Metro	25.5	9.3	2.1
250K – 1 Mil. Pop.	25.0	8.9	2.0
<250K Pop.	26.6	10.4	2.5
Nonmetro	20.3	6.6	1.4
Urbanized	23.4	8.0	1.4
Less Urbanized	19.1	5.8	1.3
Completely Rural	15.1	5.8	2.2

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 1.89A Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2002

Geographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	25,378	1,194	352
GEOGRAPHIC DIVISION			
Northeast	4,718	179	57
New England	1,651	24	1
Middle Atlantic	3,067	155	57
Midwest	5,414	214	74
East North Central	3,686	151	55
West North Central	1,728	63	19
South	7,415	449	120
South Atlantic	4,401	270	73
East South Central	954	53	17
West South Central	2,060	126	29
West	7,831	351	101
Mountain	2,265	105	38
Pacific	5,566	247	63
COUNTY TYPE			
Large Metro	13,788	779	229
Small Metro	7,794	295	102
250K – 1 Mil. Pop.	5,670	229	83
<250K Pop.	2,124	66	19
Nonmetro	3,796	119	21
Urbanized	1,598	42	2
Less Urbanized	1,947	65	19
Completely Rural	251	12	*

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 1.89B Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2002

Geographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	14.1	0.7	0.2
GEOGRAPHIC DIVISION			
Northeast	13.4	0.5	0.2
New England	17.9	0.3	0.0
Middle Atlantic	11.9	0.6	0.2
Midwest	13.4	0.5	0.2
East North Central	13.0	0.5	0.2
West North Central	14.3	0.5	0.2
South	11.6	0.7	0.2
South Atlantic	13.0	0.8	0.2
East South Central	8.8	0.5	0.2
West South Central	10.7	0.7	0.2
West	19.7	0.9	0.3
Mountain	19.8	0.9	0.3
Pacific	19.6	0.9	0.2
COUNTY TYPE			
Large Metro	15.3	0.9	0.3
Small Metro	14.7	0.6	0.2
250K – 1 Mil. Pop.	14.6	0.6	0.2
<250K Pop.	15.0	0.5	0.1
Nonmetro	10.5	0.3	0.1
Urbanized	14.3	0.4	0.0
Less Urbanized	9.3	0.3	0.1
Completely Rural	6.1	0.3	*

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30423

Table 1.90A Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2002

Geographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	32,895	3,804	941
GEOGRAPHIC DIVISION			
Northeast	6,174	711	216
New England	2,127	205	70
Middle Atlantic	4,047	506	146
Midwest	7,108	783	168
East North Central	4,913	565	125
West North Central	2,195	218	43
South	9,759	1,294	333
South Atlantic	5,648	745	182
East South Central	1,283	181	47
West South Central	2,828	368	104
West	9,854	1,016	224
Mountain	2,913	332	84
Pacific	6,941	683	140
COUNTY TYPE			
Large Metro	17,463	2,027	512
Small Metro	10,456	1,272	324
250K – 1 Mil. Pop.	7,524	892	229
<250K Pop.	2,932	381	95
Nonmetro	4,976	505	105
Urbanized	2,095	212	32
Less Urbanized	2,551	250	61
Completely Rural	330	43	12

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 1.90B Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2002

Geographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	15.6	1.8	0.4
GEOGRAPHIC DIVISION			
Northeast	15.2	1.8	0.5
New England	20.0	1.9	0.7
Middle Atlantic	13.5	1.7	0.5
Midwest	14.9	1.6	0.4
East North Central	14.7	1.7	0.4
West North Central	15.3	1.5	0.3
South	13.0	1.7	0.4
South Atlantic	14.3	1.9	0.5
East South Central	10.1	1.4	0.4
West South Central	12.3	1.6	0.5
West	20.9	2.2	0.5
Mountain	21.4	2.4	0.6
Pacific	20.8	2.0	0.4
COUNTY TYPE			
Large Metro	16.7	1.9	0.5
Small Metro	16.5	2.0	0.5
250K – 1 Mil. Pop.	16.3	1.9	0.5
<250K Pop.	17.0	2.2	0.6
Nonmetro	11.8	1.2	0.2
Urbanized	15.7	1.6	0.2
Less Urbanized	10.6	1.0	0.3
Completely Rural	7.1	0.9	0.3

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.