

30423

Table 1.91A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2002

Geographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	22,870	2,084	635
GEOGRAPHIC DIVISION			
Northeast	4,476	379	98
New England	1,330	151	41
Middle Atlantic	3,147	229	56
Midwest	5,061	507	150
East North Central	3,735	349	114
West North Central	1,326	158	36
South	7,318	685	203
South Atlantic	4,035	393	137
East South Central	1,103	108	14
West South Central	2,179	185	52
West	6,015	512	184
Mountain	1,828	156	44
Pacific	4,187	356	140
COUNTY TYPE			
Large Metro	11,615	1,028	356
Small Metro	7,508	686	173
250K – 1 Mil. Pop.	5,293	475	123
<250K Pop.	2,214	212	50
Nonmetro	3,748	370	106
Urbanized	1,477	141	41
Less Urbanized	1,927	180	56
Completely Rural	343	48	9

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 1.91B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2002

Geographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	9.7	0.9	0.3
GEOGRAPHIC DIVISION			
Northeast	9.9	0.8	0.2
New England	11.3	1.3	0.3
Middle Atlantic	9.5	0.7	0.2
Midwest	9.5	0.9	0.3
East North Central	10.0	0.9	0.3
West North Central	8.3	1.0	0.2
South	8.7	0.8	0.2
South Atlantic	9.2	0.9	0.3
East South Central	7.8	0.8	0.1
West South Central	8.4	0.7	0.2
West	11.4	1.0	0.3
Mountain	11.9	1.0	0.3
Pacific	11.1	0.9	0.4
COUNTY TYPE			
Large Metro	9.9	0.9	0.3
Small Metro	10.6	1.0	0.2
250K – 1 Mil. Pop.	10.2	0.9	0.2
<250K Pop.	11.6	1.1	0.3
Nonmetro	8.0	0.8	0.2
Urbanized	9.9	1.0	0.3
Less Urbanized	7.1	0.7	0.2
Completely Rural	6.6	0.9	0.2

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30423

Table 1.92A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2002

Geographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	2,605	1,078	301
GEOGRAPHIC DIVISION			
Northeast	441	178	47
New England	124	61	18
Middle Atlantic	317	118	30
Midwest	597	231	52
East North Central	412	163	42
West North Central	185	68	10
South	926	400	125
South Atlantic	514	232	82
East South Central	143	53	14
West South Central	268	116	29
West	641	269	77
Mountain	213	83	23
Pacific	428	185	54
COUNTY TYPE			
Large Metro	1,232	513	134
Small Metro	797	325	102
250K – 1 Mil. Pop.	575	221	67
<250K Pop.	222	104	35
Nonmetro	576	240	65
Urbanized	179	72	18
Less Urbanized	321	129	41
Completely Rural	77	39	6

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 1.92B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2002

Geographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	10.5	4.4	1.2
GEOGRAPHIC DIVISION			
Northeast	9.9	4.0	1.1
New England	10.7	5.2	1.5
Middle Atlantic	9.6	3.6	0.9
Midwest	10.5	4.1	0.9
East North Central	10.3	4.1	1.0
West North Central	10.8	4.0	0.6
South	10.6	4.6	1.4
South Atlantic	11.7	5.3	1.9
East South Central	10.1	3.7	1.0
West South Central	9.1	3.9	1.0
West	11.0	4.6	1.3
Mountain	12.5	4.9	1.3
Pacific	10.4	4.5	1.3
COUNTY TYPE			
Large Metro	9.9	4.1	1.1
Small Metro	10.8	4.4	1.4
250K – 1 Mil. Pop.	10.5	4.0	1.2
<250K Pop.	11.7	5.5	1.8
Nonmetro	11.6	4.8	1.3
Urbanized	11.6	4.7	1.2
Less Urbanized	11.2	4.5	1.4
Completely Rural	13.7	7.0	1.1

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30423

Table 1.93A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2002

Geographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	4,867	685	150
GEOGRAPHIC DIVISION			
Northeast	945	152	20
New England	296	60	5
Middle Atlantic	649	92	15
Midwest	1,229	174	33
East North Central	900	121	19
West North Central	329	53	14
South	1,485	213	53
South Atlantic	804	132	38
East South Central	231	26	*
West South Central	450	55	15
West	1,208	147	44
Mountain	404	48	10
Pacific	803	99	34
COUNTY TYPE			
Large Metro	2,260	344	93
Small Metro	1,797	240	36
250K – 1 Mil. Pop.	1,231	150	24
<250K Pop.	566	90	12
Nonmetro	810	102	21
Urbanized	328	48	10
Less Urbanized	419	45	9
Completely Rural	64	9	3

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 1.93B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2002

Geographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	15.7	2.2	0.5
GEOGRAPHIC DIVISION			
Northeast	17.2	2.8	0.4
New England	20.6	4.2	0.3
Middle Atlantic	15.9	2.3	0.4
Midwest	17.1	2.4	0.5
East North Central	18.1	2.4	0.4
West North Central	14.8	2.4	0.6
South	13.5	1.9	0.5
South Atlantic	14.9	2.4	0.7
East South Central	12.1	1.3	*
West South Central	12.1	1.5	0.4
West	16.6	2.0	0.6
Mountain	18.5	2.2	0.5
Pacific	15.7	1.9	0.7
COUNTY TYPE			
Large Metro	15.3	2.3	0.6
Small Metro	17.2	2.3	0.3
250K – 1 Mil. Pop.	16.6	2.0	0.3
<250K Pop.	18.7	3.0	0.4
Nonmetro	13.9	1.8	0.4
Urbanized	15.4	2.3	0.5
Less Urbanized	13.2	1.4	0.3
Completely Rural	12.2	1.7	0.6

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30423

Table 1.94A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2002

Geographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	15,398	320	183
GEOGRAPHIC DIVISION			
Northeast	3,090	49	30
New England	910	30	18
Middle Atlantic	2,180	19	12
Midwest	3,235	103	66
East North Central	2,422	66	53
West North Central	812	37	12
South	4,906	72	25
South Atlantic	2,717	29	17
East South Central	729	29	*
West South Central	1,461	14	8
West	4,167	96	63
Mountain	1,211	24	11
Pacific	2,956	72	52
COUNTY TYPE			
Large Metro	8,123	171	128
Small Metro	4,913	121	36
250K – 1 Mil. Pop.	3,487	103	32
<250K Pop.	1,426	18	3
Nonmetro	2,361	28	19
Urbanized	971	22	13
Less Urbanized	1,188	6	6
Completely Rural	203	*	*

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30423

Table 1.94B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2002

Geographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	8.6	0.2	0.1
GEOGRAPHIC DIVISION			
Northeast	8.8	0.1	0.1
New England	9.9	0.3	0.2
Middle Atlantic	8.4	0.1	0.0
Midwest	8.0	0.3	0.2
East North Central	8.5	0.2	0.2
West North Central	6.7	0.3	0.1
South	7.7	0.1	0.0
South Atlantic	8.0	0.1	0.1
East South Central	6.7	0.3	*
West South Central	7.6	0.1	0.0
West	10.5	0.2	0.2
Mountain	10.6	0.2	0.1
Pacific	10.4	0.3	0.2
COUNTY TYPE			
Large Metro	9.0	0.2	0.1
Small Metro	9.3	0.2	0.1
250K – 1 Mil. Pop.	9.0	0.3	0.1
<250K Pop.	10.0	0.1	0.0
Nonmetro	6.5	0.1	0.1
Urbanized	8.7	0.2	0.1
Less Urbanized	5.7	0.0	0.0
Completely Rural	4.9	*	*

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30423

Table 1.95A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2002

Geographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	20,265	1,005	334
GEOGRAPHIC DIVISION			
Northeast	4,035	201	50
New England	1,206	90	23
Middle Atlantic	2,830	111	27
Midwest	4,464	277	98
East North Central	3,322	187	72
West North Central	1,141	90	26
South	6,392	285	78
South Atlantic	3,521	161	55
East South Central	960	55	*
West South Central	1,911	69	23
West	5,374	243	107
Mountain	1,615	72	21
Pacific	3,759	170	86
COUNTY TYPE			
Large Metro	10,383	515	222
Small Metro	6,710	361	71
250K – 1 Mil. Pop.	4,718	253	56
<250K Pop.	1,993	108	15
Nonmetro	3,172	129	41
Urbanized	1,298	69	23
Less Urbanized	1,607	51	15
Completely Rural	267	9	3

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 1.95B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2002

Geographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	9.6	0.5	0.2
GEOGRAPHIC DIVISION			
Northeast	9.9	0.5	0.1
New England	11.3	0.8	0.2
Middle Atlantic	9.4	0.4	0.1
Midwest	9.4	0.6	0.2
East North Central	9.9	0.6	0.2
West North Central	8.0	0.6	0.2
South	8.5	0.4	0.1
South Atlantic	8.9	0.4	0.1
East South Central	7.5	0.4	*
West South Central	8.3	0.3	0.1
West	11.4	0.5	0.2
Mountain	11.9	0.5	0.2
Pacific	11.2	0.5	0.3
COUNTY TYPE			
Large Metro	9.9	0.5	0.2
Small Metro	10.6	0.6	0.1
250K – 1 Mil. Pop.	10.2	0.5	0.1
<250K Pop.	11.6	0.6	0.1
Nonmetro	7.5	0.3	0.1
Urbanized	9.8	0.5	0.2
Less Urbanized	6.7	0.2	0.1
Completely Rural	5.7	0.2	0.1

*Low precision; no estimate reported.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.